

Amendments to the Claims

Please cancel claims 1, 8, Please amend claims 2, 3, 9, 10, . The currently pending claims after amendment are listed below.

1. (Cancelled)

2. (Currently Amended) The method of ~~claim 1~~ claim 7, further comprising:
inverting said flags when a predetermined condition is no longer met.

3. (Currently Amended) ~~A The method for processing a multidimensional array object comprising array objects, said method comprising the steps of:~~
~~managing flags for said multidimensional array object, said flags representing whether it is possible to optimize a process for elements of said multidimensional array object;~~
~~inverting said flags when a predetermined condition is no longer met; and~~
~~executing a machine code corresponding to a state of said flags;~~
of claim 2, wherein said predetermined condition is whether a base array of a multidimensional array object is allocated to consecutive memory areas.

4. (Original) The method of claim 2, wherein said machine code is either a machine code optimized or a machine code not optimized according to said predetermined condition.

5. (Original) The method of claim 2, further comprising:
determining whether said predetermined condition is met when writing to said multidimensional array object.

1 6. (Original) The method of claim 2 wherein, further comprising:
2 if said predetermined condition is met when generating said multidimensional array object,
3 setting said flags to a generated multidimensional array object.

1 7. (Previously Presented) A method for processing a multidimensional array object
2 comprising array objects, said method comprising the steps of:
3 managing flags for said multidimensional array object, said flags representing whether it is
4 possible to optimize a process for elements of said multidimensional array object;
5 executing a machine code corresponding to a state of said flags; and
6 if there is possibility of multi-thread processing of said multidimensional array object,
7 generating a machine code for storing on a stack a dummy reference to said multidimensional
8 array during execution of an optimization code.

8. (Cancelled)

1 9. (Currently Amended) The storage medium of ~~claim 8~~ claim 14, further comprising:
2 inverting said flags when a predetermined condition is no longer met.

1 10. (Currently Amended) ~~★ The storage medium storing a program for a multidimensional~~
2 ~~array object comprising array objects, wherein said program, when read and executed by a~~
3 ~~computer, comprises steps of:~~

4 ~~managing flags for said multidimensional array object, said flags representing that it is~~
5 ~~possible to optimize a process for elements of said multidimensional array object;~~

6 ~~inverting said flags when a predetermined condition is no longer met; and~~

7 ~~executing a machine code corresponding to a state of said flags;~~

8 of claim 9, wherein said predetermined condition is whether a base array of a multidimensional
9 array object is allocated to consecutive memory areas.

1 11. (Original) The storage medium of claim 9, wherein said machine code is either a machine
2 code optimized or a machine code not optimized according to said predetermined condition.

1 12. (Original) The storage medium of claim 9, further comprising:
2 determining whether said predetermined condition is met when writing to said
3 multidimensional array object.

1 13. (Original) The storage medium of claim 9, further comprising:
2 if said predetermined condition is met when generating said multidimensional array object,
3 setting said flags to a generated multidimensional array object.

1 14. (Previously Presented) A storage medium storing a program for a multidimensional array
2 object comprising array objects, wherein said program, when read and executed by a computer,
3 comprises steps of:

4 managing flags for said multidimensional array object, said flags representing that it is
5 possible to optimize a process for elements of said multidimensional array object;

6 executing a machine code corresponding to a state of said flags; and

7 if there is possibility of multi-thread processing of said multidimensional array object,
8 generating a machine code for storing on a stack a dummy reference to said multidimensional
9 array during execution of an optimization code.

15. (Cancelled)

1 16. (Currently Amended) The computer of ~~claim 15~~ claim 21, wherein said program further
2 comprises:

3 inverting said flags when a predetermined condition is no longer met.

4 17. (Currently Amended) ~~A The computer for processing a multidimensional array object~~
5 ~~comprising array objects, said computer comprising:~~

6 ~~a central processing unit; and~~

7 ~~a program, when read and executed by said central processing unit, comprises steps of:~~

8 ~~managing flags for said multidimensional array object, said flags representing that it is~~
9 ~~possible to optimize a process for elements of said multidimensional array object;~~

10 ~~inverting said flags when a predetermined condition is no longer met; and~~

11 ~~executing a machine code corresponding to a state of said flags;~~

12 of claim 16, wherein said predetermined condition is whether a base array of a multidimensional
13 array object is allocated to consecutive memory areas.

1 18. (Original) The computer of claim 16, wherein said machine code is either a machine code
2 optimized or a machine code not optimized according to said predetermined condition.

1 19. (Original) The computer of claim 16, wherein said program further comprises:
2 determining whether said predetermined condition is met when writing to said
3 multidimensional array object.

1 20. (Original) The computer of claim 16, wherein said program further comprises:
2 if said predetermined condition is met when generating said multidimensional array object,
3 setting said flags to a generated multidimensional array object.

1 21. (Previously Presented) A computer for processing a multidimensional array object
2 comprising array objects, said computer comprising:
3 a central processing unit; and
4 a program, when read and executed by said central processing unit, comprises steps of:
5 managing flags for said multidimensional array object, said flags representing that it is
6 possible to optimize a process for elements of said multidimensional array object,
7 executing a machine code corresponding to a state of said flags; and
8 if there is possibility of multi-thread processing of said multidimensional array object,
9 generating a machine code for storing on a stack a dummy reference to said multidimensional
10 array during execution of an optimization code.